



Safety Data Sheet

Printed : 06/08/2026

Revised : CLP V1-R-1-CLP from 06/08/2026

CISTE ESSENCE

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

1.1. Product identifier

CISTE ESSENCE

N° CAS : 89997-74-0
N° CE : 289-711-7
N° index REACH An VI : /
N° REACH (partially) : Exempt <1T

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use only

End use : **Fragrances / Cosmetic**

1.3. Details of the supplier of the safety data sheet

Company : PCW
PARFUM COSMETIC WORLD
45 Boulevard Marcel PAGNOL
Parc Aromagrasse
06130 GRASSE - FRANCE
Tel: +33 (0)4 92 42 35 00
Fax : +33 (0)4 92 42 35 19
Web : www.pcwfrance.com
Email : info@pcwfrance.com

Technical manager : regulatory@pcwfrance.com

1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS : +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA : +33(1) 45 42 59 59

2. HAZARDS IDENTIFICATION

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)


Asp. Tox. 1 Aspiration hazard 1
 Acute Tox. 4 (Oral) Acute toxicity oral 4
 Aquatic Chronic 1 Hazardous to the aquatic environment, long-term hazard 1
 Flam. Liq. 3 Flammable Liquids 3
 Skin Irrit. 2 Skin corrosion / irritation 2
 Skin Sens. 1A Sensitisation, skin 1A

H226 - Flammable liquid and vapour.
 H302 - Harmful if swallowed.
 H304 - May be fatal if swallowed and enters airways.
 H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H410 - Very toxic to aquatic life with long lasting effects.

2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Danger

Asp. Tox. 1 Aspiration hazard 1
 Acute Tox. 4 (Oral) Acute toxicity oral 4
 Aquatic Chronic 1 Hazardous to the aquatic environment, long-term hazard 1
 Flam. Liq. 3 Flammable Liquids 3
 Skin Irrit. 2 Skin corrosion / irritation 2
 Skin Sens. 1A Sensitisation, skin 1A

H226 - Flammable liquid and vapour.
 H302 - Harmful if swallowed.
 H304 - May be fatal if swallowed and enters airways.
 H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H410 - Very toxic to aquatic life with long lasting effects.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P233 - Keep container tightly closed.
 P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.
 P242 - Use non-sparking tools.
 P243 - Take action to prevent static discharges.
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
 P270 - Do not eat, drink or smoke when using this product.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P330 - Rinse mouth.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

2.3. Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

Contains Pinenes, Ledene, Camphor, 4-Terpineol, Limonene, Borneol natural, alpha-Terpinene, alpha-Phellandrene, Geraniol

vPvB :

This substance is not considered as very persistent nor very bioaccumulative

PBT :

This substance is not considered as persistent, neither bioaccumulable nor toxic

3. COMPOSITION / INFORMATION ON INGREDIENTS

List of reportable components:

3.1. Substances

Numéro d'identification	Substance	Classes danger & Phrases H	LCS / Facteurs M / ATE	Percent %
CAS# 80-56-8 EINECS# 201-291-9 REACH# /	Pinenes	Asp. Tox. 1, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H226, H315, H317		[20-50]
CAS# 2408-37-9 EINECS# 219-309-9 REACH# /	2,2,6-trimethylcyclohexan-1-one	Acute Tox. 4 (Inhala) H332		[5-10]
CAS# 79-92-5 EINECS# 201-234-8 REACH# N°INDEX 603-158-00-4	Camphene	Eye Irrit. 2, Eye Irrit. 2B, Aquatic Acute 1, Aquatic Chronic 1, Flam. Sol. 2 H319, H320, H400, H410, H228		[5-10]
CAS# 21747-46-6 EINECS# 244-565-3 REACH# /	Ledene	Asp. Tox. 1 H304		[5-10]
CAS# 562-74-3 EINECS# 209-235-5	4-Terpineol	Acute Tox. 5 (Dermal, Acute Tox. 4 (Inhala, Acute Tox. 4 (Oral), Eye Irrit. 2, Eye Irrit. 2B, Aquatic Acute 2, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1A, Stot Se 3Ne H313, H332, H302, H319, H320, H401, H227, H315, H317, H336	ATE (Dermale) : 2500mg/kg ATE (Orale) : 1300mg/kg ATE (Inhalation) : 1.5mg/L	[1-5]
CAS# 507-70-0 EINECS# 208-080-0 REACH# /	Borneol natural	Eye Dam. 1, Aquatic Acute 2, Aquatic Chronic 2, Flam. Sol. 1, Skin Irrit. 2 H318, H401, H411, H228, H315		[1-5]
CAS# 76-22-2 EINECS# 200-945-0 REACH# /	Camphor	Acute Tox. 4 (Inhala, Acute Tox. 4 (Oral), Eye Dam. 1, Aquatic Acute 2, Aquatic Chronic 2, Flam. Sol. 2, Skin Irrit. 2, Stot Se 2 H332, H302, H318, H401, H411, H228, H315, H371	ATE (Orale) : 1500mg/kg ATE (Inhalation) : 1.5mg/L	[1-5]

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

CAS# 5989-27-5 EINECS# 205-341-0 REACH# N° INDEX 601-029-00-7	Limonene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 3, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H304, H400, H412, H226, H315, H317		[1-5]
CAS# 99-86-5 EINECS# 202-795-1 REACH# /	alpha-Terpinene	Asp. Tox. 1, Acute Tox. 4 (Oral), Eye Irrit. 2, Eye Irrit. 2B, Aquatic Acute 2, Aquatic Chronic 2, Flam. Liq. 3, Skin Irrit. 3, Skin Sens. 1A H304, H302, H319, H320, H401, H411, H226, H316, H317	ATE (Orale) : 1680mg/kg	[1-5]
CAS# 99-85-4 EINECS# 202-794-6 REACH# /	gamma-Terpinene Natural	Asp. Tox. 1, Acute Tox. 5 (Oral), Aquatic Acute 2, Aquatic Chronic 2, Flam. Liq. 3, Repr. 2 H304, H303, H401, H411, H226, H361	ATE (Orale) : 3650mg/kg	[1-5]
CAS# 99-87-6 EINECS# 202-796-7 REACH# /	p-Cymene Natural (rep. 2)	Asp. Tox. 1, Acute Tox. 3 (Inhala, Acute Tox. 5 (Oral), Aquatic Acute 2, Aquatic Chronic 2, Flam. Liq. 3, Repr. 2 H304, H331, H303, H401, H411, H226, H361	ATE (Orale) : 4750mg/kg ATE (Inhalation) : 9.7mg/L	[1-5]
CAS# 98-86-2 EINECS# 202-708-7 REACH# N° INDEX 606-042-00-1	Acetophenone	Acute Tox. 4 (Oral), Eye Irrit. 2, Eye Irrit. 2A H302, H319, H319	ATE (Orale) : 500mg/kg	[0-1]
CAS# 120-51-4 EINECS# 204-402-9 REACH# N° INDEX 607-085-00-9	Benzyl benzoate	Acute Tox. 4 (Oral), Aquatic Acute 1, Aquatic Chronic 2 H302, H400, H411	ATE (Orale) : 1160mg/kg	[0-1]
CAS# 499-75-2 EINECS# 207-889-6	Carvacrol	Acute Tox. 4 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B H302, H319, H319, H401, H227, H315, H317	ATE (Orale) : 810mg/kg	[0-1]
CAS# 99-49-0 EINECS# 202-759-5	Carvone	Acute Tox. 5 (Dermal, Acute Tox. 5 (Oral), Aquatic Acute 2, Flam. Liq. 4, Skin Sens. 1B H313, H303, H401, H227, H317	ATE (Dermale) : 3800mg/kg ATE (Orale) : 2500mg/kg	[0-1]
CAS# 97-53-0 EINECS# 202-589-1 REACH# /	Eugenol	Acute Tox. 5 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Skin Irrit. 3, Skin Sens. 1B H303, H319, H319, H401, H316, H317	ATE (Orale) : 2500mg/kg	[0-1]
CAS# 93-15-2 EINECS# 202-223-0 REACH# /	Eugenyl methyl ether Natural (car. 2) (mut. 2)	Acute Tox. 4 (Oral), Carc. 2, Aquatic Acute 2, Muta. 2 H302, H351, H401, H341	ATE (Orale) : 1180mg/kg	[0-1]
CAS# 106-24-1 EINECS# 203-377-1 REACH# /	Geraniol	Acute Tox. 5 (Oral), Eye Dam. 1, Aquatic Acute 3, Skin Irrit. 2, Skin Sens. 1A H303, H318, H402, H315, H317	ATE (Orale) : 3600mg/kg	[0-1]
CAS# 16409-43-1 EINECS# 240-457-5 REACH# /	Isobutenyl methyltetrahydropyran (Rep. 2)	Acute Tox. 5 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Repr. 2, Skin Irrit. 2 H303, H319, H319, H402, H227, H361, H315	ATE (Orale) : 4300mg/kg	[0-1]
CAS# 78-59-1 EINECS# 201-126-0 REACH# N° INDEX 606-012-00-8	Isophorone indirect (car.2)	Acute Tox. 4 (Dermal, Acute Tox. 4 (Oral), Carc. 2, Eye Irrit. 2, Eye Irrit. 2A, Stot Se 3 H312, H302, H351, H319, H319, H335	ATE (Dermale) : 1100mg/kg ATE (Orale) : 500mg/kg	[0-1]
CAS# 78-70-6 EINECS# 201-134-4 REACH# N° INDEX 603-235-00-2	Linalool	Acute Tox. 5 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 3, Flam. Liq. 4, Skin Irrit. 2, Skin Sens. 1B H303, H319, H319, H402, H227, H315, H317	ATE (Orale) : 2790mg/kg	[0-1]

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

CAS# 586-62-9 EINECS# 209-578-0 REACH# /	Terpinolene	Asp. Tox. 1, Acute Tox. 5 (Oral), Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 4, Skin Irrit. 3, Skin Sens. 1B H304, H303, H400, H410, H227, H316, H317	ATE (Orale) : 3775mg/kg	[0-1]
CAS# 99-83-2 EINECS# 202-792-5	alpha-Phellandrene	Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1, Flam. Liq. 3, Skin Sens. 1A H304, H400, H410, H226, H317		[0-1]
CAS# 98-55-5 EINECS# 202-680-6 REACH# /	alpha-Terpineol	Acute Tox. 5 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Flam. Liq. 4, Skin Irrit. 2 H303, H319, H319, H401, H227, H315	ATE (Orale) : 4300mg/kg	[0-1]
CAS# 6485-40-1 EINECS# 229-352-5	l-Carvone	Acute Tox. 5 (Dermal, Acute Tox. 5 (Oral), Aquatic Acute 2, Flam. Liq. 4, Skin Sens. 1B H313, H303, H401, H227, H317	ATE (Dermale) : 3800mg/kg ATE (Orale) : 2500mg/kg	[0-1]

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

Botanical name : **Cistus ladaniferus L.**

3.2. Mixtures

NO CONCERNED

4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

Following inhalation: If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

Following ingestion: If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

Following eye contact: Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

4.2. Most important symptoms and effects, both acute and delayed

See section 2

4.3. Indication of any immediate medical attention and special treatment needed

Contact with skin: Wash immediately and abundantly with water and soap. Rinse then with clear water.

Contact with eyes: Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

standard Dacryoserum. In case of disorder, consult an ophthalmologist.

In case of ingestion: Do not induce vomiting, maintain the patient at rest. If problems persist, consult a doctor.

Soiled clothing: Withdraw soiled clothing and re-use them only after decontamination.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO₂, powder, foam, specific liquid. Do not inhale the fumes.

Unsuitable extinguishing media: Never use a direct stream of water.

5.2. Special hazards arising from the substance or mixture

Flammability: The product is not easily flammable

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO₂), Oxyde d'azotes (NO_x), Dioxyde de soufre (SO₂), Cyanures (CN)

5.3. Advice for firefighters

Never use a direct water jet.

Special protective equipment for fire-fighters:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus with full face mask operating in active pressure mode.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhale vapours.

For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.

Inform the competent authorities if the product enters in ground or surface waters.

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

6.3. Methods and material for containment and cleaning up

For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

For cleaning up

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local reglementation

Other informations

Only qualified personnel is allowed to clean up.

6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures:

See section 2.2



Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions or coming in contact with the ground, waterways, drains and vents.

Advice on general occupational hygiene:

Follow the general hygiene rules.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

Technical measures: Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :

**Store in cool place (10°C max.), in tightly sealed original container.
Avoid prolonged exposure to light, heat and air.**

Storage areas and packaging

Close carefully any already opened recipient and store it vertically to

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

conditions :

avoid any flow

Protection against the fire and the explosion :

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

7.3. Specific end use(s)

Wash hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Measures of technical order: Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

Monitoring procedures: If the product contains ingredients with exposure limits, it may be necessary to carry out a follow-up examination of people, the workplace atmosphere or living organisms to determine the effectiveness of ventilation or other control measures or to assess the need for respiratory protective equipment. It is important to refer to the European standard EN 689 on methods for assessing inhalation exposure to chemical agents and to national policy documents on methods for determining hazardous substances.

8.2. Exposure controls

Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

Personal protection measures :

Personal protection equipment :

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

Hand protection : Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

Remark : The waterproofness of the recommended gloves does not only depend on their material. Also other factors can have an influence on the waterproofness, such as their thickness or specific use or temperature conditions. In any case, material certificates should be selected. Ask your supplier whether the gloves are suitable for this purpose.

Eyes protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommended : Splash goggles, safety glasses with side-shields.

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

Skin protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommended : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommended : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Description :	Volatile oil obtained from the leaves of labdanum, Cistus ladaniferus L., Cistaceae
Appearance :	Liquid
Colour :	Brown
Odour :	Animal, balsamic, leather
Optical rotation (°) :	-
Peroxides value mmol/kg :	-
Boiling point (°C) :	-
Flash point (°C) (close cup) :	43
Viscosity :	<7 mm²/s @ 40°C
Density at 20°C :	[0.960 ; 0.980]
Refractive index at 20°C :	[1.470 ; 1.490]
LD50 Dermal (rabbit) :	No data
Endocrine disruptors - health and environment :	No contains endocrine disruptors

9.2. Other information

Water solubility : **No**

10. STABILITY AND REACTIVITY

10.1. Reactivity

Avoid powerful oxidising agents

10.2. Chemical stability

Stable under normal conditions.

Shelf life : **12 months, according to storage conditions**

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

Incompatibility with other materials: -

Incompatibility with other substances -
:

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun. No decomposition if used according to specifications.

Dangerous decomposition products: No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Informations Acute :

· **Orale**

No considered

· **Inhalation**

No considered

· **Skin**

No considered

further information:

2,2,6-trimethylcyclohexan-1-one

ETAO : 0,00 mg/kg(Estimée)

ETAC : 0,00 mg/kg(Estimée)

ETAI : 0,00 mg/l(Estimée)

Camphor

ETAO : 1 500,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : 1,50 mg/l(Déterminée)

4-Terpineol

ETAO : 1 300,00 mg/kg(Déterminée)

ETAC : 2 500,00 mg/kg(Estimée)

ETAI : 1,50 mg/l(Déterminée)

p-Cymene Natural (rep. 2)

ETAO : 4 750,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : 9,70 mg/l(Déterminée)

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

gamma-Terpinene Natural

ETAO : 3 650,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

alpha-Terpinene

ETAO : 1 680,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

Acetophenone

ETAO : 500,00 mg/kg(Estimée)

ETAC : Non déterminée

ETAI : Non déterminée

alpha-Terpineol

ETAO : 4 300,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

Eugenol

ETAO : 2 500,00 mg/kg(Estimée)

ETAC : Non déterminée

ETAI : Non déterminée

Linalool

ETAO : 2 790,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

Carvacrol

ETAO : 810,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

Carvone

ETAO : 2 500,00 mg/kg(Estimée)

ETAC : 3 800,00 mg/kg(Déterminée)

ETAI : Non déterminée

l-Carvone

ETAO : 2 500,00 mg/kg(Estimée)

ETAC : 3 800,00 mg/kg(Déterminée)

ETAI : Non déterminée

Terpinolene

ETAO : 3 775,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

Eugenyl methyl ether Natural (car. 2) (mut. 2)

ETAO : 1 180,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

Isobutenyl methyltetrahydropyran (Rep. 2)

ETAO : 4 300,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

Geraniol

ETAO : 3 600,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

Isophorone indirect (car.2)

ETAO : 500,00 mg/kg(Estimée)

ETAC : 1 100,00 mg/kg(Estimée)

ETAI : Non déterminée

Benzyl benzoate

ETAO : 1 160,00 mg/kg(Déterminée)

ETAC : 0,00 mg/kg(Déterminée)

ETAI : Non déterminée

LD50 oral (rat) :

GERANIOL (CAS: 106-24-1) = 3600 mg/kg
EUGENYL METHYL ETHER (METHYL EUGENOL) (CAS: 93-15-2) = 810 mg/kg

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

TERPINOLENE (CAS: 586-62-9) = 3850 mg/kg
EUGENOL (CAS: 97-53-0) = 2300 mg/kg
ALPHA-TERPINEOL (CAS: 98-55-5) = 4300 mg/kg
4-TERPINENOL (CAS: 562-74-3) = 1300 mg/kg
P-MENTHA-1,3-DIENE (SEE ALPHA-TERPINENE) (CAS: 99-86-5) = 1680 mg/kg
G-TERPINENE (CAS: 99-85-4) = 3850 mg/kg
PARA-CYMENE (CAS: 99-87-6) = 4750 mg/kg
ALPHA-PINENE X (CAS: 80-56-8) = 3500 mg/kg

11.2. Information on other hazards

The product does not contain substances identified as having endocrine disrupting properties (human health) in concentrations equal to or greater than 0.1% (m/m).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

12.2. Persistence and degradability

NO CONCERNED

12.3. Bioaccumulative potential

NO CONCERNED

12.4. Mobility in soil

PNEC soil :

12.5. Results of PBT and vPvB assessment

vPvB : This substance is not considered as very persistent nor very bioaccumulative
PBT : This substance is not considered as persistent, neither bioaccumulable nor toxic

12.6. Endocrine disrupting properties

The product does not contain substances identified as having endocrine disrupting properties (environment) in concentrations equal to or greater than 0.1% (m/m).

12.7. Other adverse effects

NO CONCERNED

13. DISPOSAL CONSIDERATIONS

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

13.1. Waste treatment methods

Product: Recommendation: Does not have to be evacuated with the refuse. Do not let penetrate into drains/waste water system.

Not cleaned packing: Recommendation: Evacuation in accordance with the regulations.

14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:



IATA:



14.1. UN number or ID number

ADR/ADN/RID : 1197 (Tunnel code (D/E))

IMDG:1197

IATA :1197

14.2. UN proper shipping name

ADR/ADN/RID : EXTRACTS, LIQUID

IMDG:EXTRACTS, LIQUID

IATA :EXTRACTS, LIQUID

14.3. Transport hazard class(es)

ADR/ADN/RID : 3

IMDG:3

IATA :3

14.4. Packing group

ADR/ADN/RID : III

IMDG:III

IATA :III

14.5. Environmental hazards

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

IMDG :

14.6. Special precautions for user

Precautions of use : **Avoid any direct contact with the product.**

14.7. Maritime transport in bulk according to IMO instruments

(Except particular case)

IBC Liquid substances

Metal (31A, 31B, 31N)

Plastic (31H1, 31H2)

GRV Solid substances

Metal (11A, 11B, 21A, 21N)

Plastic (11H1, 11H2, 21H1, 21H2)

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK : **1-ID6392**

Monographie (s) du RIFM n° : **358-F2.12**

Custom tariff : **3301 29 49 00**

15.2. Chemical safety assessment

NO CONCERNED

16. OTHER INFORMATION

Full H sentences text in point 3

H226 Flammable liquid and vapour.

H228 Flammable solid.

H302 Harmful if swallowed.

H302+H312 Harmful if swallowed or in contact with skin

H302+H332 Harmful if swallowed or if inhaled

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H336 Kann Schläfrigkeit und Benommenheit verursachen.

H341 Suspected of causing genetic defects <state route of exposure if it is conclusively proven that no

Safety Data Sheet

Printed : 06/08/2026

CISTE ESSENCE

Revised : CLP V1-R-1-CLP from 06/08/2026

other routes of exposure cause the hazard>.

H351 Suspected of causing cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H361 Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H371 May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Material security data sheet according to 2020/878/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.