



Safety Data Sheet

Printed : 30/07/2026

Revised : CLP V1-R-1-CLP from 30/07/2026

LYSMAL

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

1.1. Product identifier

LYSMAL

N° CAS : 80-54-6
N° CE : 201-289-8
N° index REACH An VI : /
N° REACH (partially) : 01-2119485965-18

IUPAC Name : **2-(4-tert-Butylbenzyl)propionaldehyde**
Chemical / REACH name : **p-tert-Butyl-alpha-methylhydrocinnamic aldehyde**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial use only

End use : **Fragrances / Cosmetic**

1.3. Details of the supplier of the safety data sheet

Company : PCW
PARFUM COSMETIC WORLD
45 Boulevard Marcel PAGNOL
Parc Aromagrasse
06130 GRASSE - FRANCE
Tel: +33 (0)4 92 42 35 00
Fax : +33 (0)4 92 42 35 19
Web : www.pcwfrance.com
Email : info@pcwfrance.com

Technical manager : regulatory@pcwfrance.com

1.4. Emergency telephone number

Emergency information service of the company

+33(6) 07 85 74 60 (24h/24h)

National emergency information service

INERIS : +33(8) 20 20 18 16

Anti poison Centers in France

ORFILA : +33(1) 45 42 59 59

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification :

(RegulationCLP)

Acute Tox. 4 (Oral) Acute toxicity oral 4

Aquatic Chronic 3 Hazardous to the aquatic environment, long-term hazard 3

Repr. 1 Reproductive toxicity 1

Skin Irrit. 2 Skin corrosion / irritation 2

Skin Sens. 1 Sensitisation skin 1

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.


H360 - May damage fertility or the unborn child <state specific effect if known > <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H412 - Harmful to aquatic life with long lasting effects.

2.2. Label elements

GHS Classification :

(RegulationCLP)



Warning mention : Warning

Acute Tox. 4 (Oral) Acute toxicity oral 4

Aquatic Chronic 3 Hazardous to the aquatic environment, long-term hazard 3

Repr. 1 Reproductive toxicity 1

Skin Irrit. 2 Skin corrosion / irritation 2

Skin Sens. 1 Sensitisation skin 1

H302 - Harmful if swallowed.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H360 - May damage fertility or the unborn child <state specific effect if known > <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H412 - Harmful to aquatic life with long lasting effects.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/... if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P308+P313 - IF exposed or concerned: Get medical advice/attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

P501 - Dispose of contents/container according to the local/ regional / national / international Regulation.

2.3. Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

Contains Butylphenyl methylpropional, para-tert-butyl phenyl isobutanol

vPvB : **This substance is not considered as very persistent nor very bioaccumulative**

PBT : **This substance is not considered as persistent, neither bioaccumulable nor toxic**

3. COMPOSITION / INFORMATION ON INGREDIENTS

List of reportable components:

3.1. Substances

Numéro d'identification	Substance	Classes danger & Phrases H	LCS / Facteurs M / ATE	Percent %
CAS# 80-54-6 EINECS# 201-289-8 REACH# N° REACH 01-2119485965-18-xx xx	Butylphenyl methylpropional	Acute Tox. 4 (Oral), Aquatic Acute 2, Aquatic Chronic 3, Flam. Liq. 4, Repr. 2, Skin Irrit. 2, Skin Sens. 1B H302, H401, H412, H227, H361, H315, H317	ATE (Orale) : 1390mg/kg	> 50 %
CAS# 56107-04-1 EINECS# 259-996-2	para-tert-butyl phenyl isobutanol	Acute Tox. 4 (Oral), Eye Irrit. 2, Eye Irrit. 2A, Aquatic Acute 2, Aquatic Chronic 3, Repr. 2, Skin Sens. 1B H302, H319, H319, H401, H412, H361, H317	ATE (Orale) : 500mg/kg	[1-5]
CAS# 62518-65-4 EINECS# 263-580-6	3-(m-tert-Butylphenyl)-2-methylpropionaldehyde (m-BMHCA) impurity (rep. 1B)	Flam. Liq. 4, Repr. 1B H227, H360		[0-1]

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

3.2. Mixtures

NO CONCERNED

4. FIRST AID MEASURES

4.1. Description of first aid measures

General notes: Please refer to the risk and safety statements (section 2)

Following inhalation: If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

Following ingestion: If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

Following skin contact: If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

Following eye contact: Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophtalmologist.

Self-protection of the first aider: In lack of appropriate formation, none initiative should imply an individual risk.

4.2. Most important symptoms and effects, both acute and delayed

See section 2

4.3. Indication of any immediate medical attention and special treatment needed

Contact with skin: Wash immediately and abundantly with water and soap. Rinse then with clear water.

Contact with eyes: Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum. In case of disorder, consult an ophtalmologist.

In case of ingestion: Do not induce vomiting, maintain the patient at rest. If problems persist, consult a doctor.

Soiled clothing: Withdraw soiled clothing and re-use them only after decontamination.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire. CO₂, powder, foam, specific liquid. Do not inhale the fumes.

Unsuitable extinguishing media: Never use a direct stream of water.

5.2. Special hazards arising from the substance or mixture

Flammability: The product is not flammable.

Prevention: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Hazardous combustion products:

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO₂), Oxyde d'azotes (NO_x), Dioxyde de soufre (SO₂), Cyanures (CN)

Auto-ignition temperature (°C) : **257**

5.3. Advice for firefighters

Never use a direct water jet.

Special protective equipment for fire-fighters:

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus with full face mask operating in active pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).

Avoid skin/eye contact. Do not inhale vapours.

For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.

Inform the competent authorities if the product enters in ground or surface waters.

6.3. Methods and material for containment and cleaning up

For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

For cleaning up

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local regulation.

Other informations

Only qualified personnel is allowed to clean up.

6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Protective measures:

See section 2.2



Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions on coming in contact with the ground, waterways, drains

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

and vents.

Advice on general occupational hygiene:

Follow the general hygiene rules.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in its original packaging in a cool dry place, away from light.

Technical measures: Close the container after use.

In case of transferring, reproduce the labelling.

Packaging materials: Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :

Store in cool place, in tightly sealed original container. Avoid prolonged exposure to light, heat and air.

Storage areas and packaging conditions :

Close carefully any already opened recipient and store it vertically to avoid any flow

Protection against the fire and the explosion :

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

7.3. Specific end use(s)

Wash hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Measures of technical order: Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

Monitoring procedures: If the product contains ingredients with exposure limits, it may be necessary to carry out a follow-up examination of people, the workplace atmosphere or living organisms to determine the effectiveness of ventilation or other control measures or to assess the need for respiratory protective equipment. It is important to refer to the European standard EN 689 on methods for assessing inhalation exposure to chemical agents and to national policy documents on methods for determining hazardous substances.

PNEC Fresh water :	4 µg/l
PNEC Fresh water sediment :	0,528 mg/kg poids sec (p.s.)
PNEC Marine water :	0.4 µg/l
PNEC Marine sediment :	0,053 mg/kg poids sec (p.s.)
PNEC Soil :	0,103 mg/kg poids sec (p.s.)
VLEP short term mg/m ³ (98/24/CE) :	No data
VLEP (8h) mg/m ³ (98/24/CE) :	No data
DNEL - Inhalation :	Workers: 0.44 mg/m³ (systemic)

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

DNEL - Skin contact :

Consumers: 0.11 mg/m³ (systemic)

Workers:

0.017026 mg/m³ (systemic)

0.41 mg/cm² (long-term local)

Consumers:

0.89 mg/kg body weight/day (systemic)

0.41 mg/cm² (long-term local)

8.2. Exposure controls

Appropriate technical controls :

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

Personal protection measures :

Personal protection equipment :

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

Hand protection : Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

Remark : The waterproofness of the recommended gloves does not only depend on their material. Also other factors can have an influence on the waterproofness, such as their thickness or specific use or temperature conditions. In any case, material certificates should be selected. Ask your supplier whether the gloves are suitable for this purpose.

Eyes protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommended : Splash goggles, safety glasses with side-shields.

Skin protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommended : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommended : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Skin irritation :

Slightly irritating

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

Eyes irritation :	No data
Appearance :	Liquid
Colour :	Colourless
Odour :	Fresh, floral
Density at 20°C :	[0.943 ; 0.946]
Refractive index at 20°C :	[1.504 ; 1.506]
Melting point (°C) :	-
Boiling point (°C) :	279.5
Flash point (°C) (close cup) :	>100
Ignition temperature :	242°C
Explosive properties :	-
Vapor pressure :	0.004 mmHg @ 20°C
Somme of isomers (by G.C.) (%) :	99.0 %
Peak #1 (%) :	[para-isomer ; 99.0 min.]
Peak #2 (%) :	[meta-isomer ; 0.1 max.]
Partition coefficient n-octanol/water :	log Pow 4.735 @ 25°C
LD50 Dermal (rabbit) :	> 5000 mg/kg
Purity (%) :	-
Endocrine disruptors - health and environment :	No contains endocrine disruptors

9.2. Other information

Solubility in alcohol (°) :	Yes
Water solubility :	No

10. STABILITY AND REACTIVITY

10.1. Reactivity

Avoid powerful oxidising agents

10.2. Chemical stability

Stable under normal conditions.

Shelf life : **24 months, according to storage conditions**

10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

10.4. Conditions to avoid

Avoid any potential source of heat.

10.5. Incompatible materials

Incompatibility with other materials: strong oxidizing agents

Incompatibility with other substances **strong oxidizing agents**
:

10.6. Hazardous decomposition products

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Dangerous decomposition products: No dangerous decomposition products known.

11. TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological Informations Acute :

- **Orale**

DL50: 1334.357 (Defined)

- **Inhalation**

No considered

- **Skin**

No considered

further information:

Butylphenyl methylpropional

ETAO : 1 390,00 mg/kg(Déterminée)

ETAC : Non déterminée

ETAI : Non déterminée

para-tert-butyl phenyl isobutanol

ETAO : 500,00 mg/kg(Estimée)

ETAC : 0,00 mg/kg(Estimée)

ETAI : 0,00 mg/l(Estimée)

Phototoxicity :

No data

Genotoxicity in vivo :

TTest negative

Genotoxicity in vitro :

Ames test : Negative - Method : Mutagenicity - Reversal mutation test on Escherichia Coli / Negative aberration chromosomic test in vitro.

LD50 oral (rat) :

1390 mg/kg

Respiratory or Skin sensitization :

Sensitizer

Serious eye damage/irritation :

Not irritating

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

11.2. Information on other hazards

The product does not contain substances identified as having endocrine disrupting properties (human health) in concentrations equal to or greater than 0.1% (m/m).

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

CE50 (Aquatic fauna) : **9.84 mg/l ; 48h (invertebrate)**

CE50 (Aquatic flora) : **32.5 mg/l (algae)**

No observable adverse effect level (NOAEL) : **28.7 mg / kg / day (repeated dose, oral, male rat) (fertility); 4.1 mg / kg / day (repeat, oral, rat) (developmental toxicity); 4.1 mg / kg / day (repeated dose, oral, rat male) (maternal toxicity)**

No observed effect level (NOEL) : **5 mg / kg / day (plasma cholinesterase)**

12.2. Persistence and degradability

Biodegradability : **Readily biodegradable**

12.3. Bioaccumulative potential

Bioaccumulation (LogPow) : **4.735 @ 25°C**

12.4. Mobility in soil

PNEC soil : 0,103 mg/kg poids sec (p.s.)

12.5. Results of PBT and vPvB assessment

vPvB : This substance is not considered as very persistent nor very bioaccumulative

PBT : This substance is not considered as persistent, neither bioaccumulable nor toxic

12.6. Endocrine disrupting properties

The product does not contain substances identified as having endocrine disrupting properties (environment) in concentrations equal to or greater than 0.1% (m/m).

12.7. Other adverse effects

NO CONCERNED

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product: Recommendation: Does not have to be evacuated with the refuse. Do not let penetrate into drains/waste

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

water system.

Not cleaned packing: Recommendation: Evacuation in accordance with the regulations.

14. TRANSPORT INFORMATION

14.1. UN number or ID number

ADR/ADN/RID : NR

IMDG:NR

IATA :NR

14.2. UN proper shipping name

ADR/ADN/RID : Not regulated for transport

IMDG:Not regulated for transport

IATA :Not regulated for transport

14.3. Transport hazard class(es)

ADR/ADN/RID : NO CONCERNED

IMDG:NO CONCERNED

IATA :NO CONCERNED

14.4. Packing group

ADR/ADN/RID : NO CONCERNED

IMDG:NO CONCERNED

IATA :NO CONCERNED

14.5. Environmental hazards

IMDG : NO CONCERNED

14.6. Special precautions for user

Precautions of use : **Avoid any direct contact with the product.**

14.7. Maritime transport in bulk according to IMO instruments

(Except particular case)

IBC Liquid substances

Metal (31A, 31B, 31N)

Plastic (31H1, 31H2)

GRV Solid substances

Metal (11A, 11B, 21A, 21N)

Plastic (11H1, 11H2, 21H1, 21H2)

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK : **2 - ID 3521**

Safety Data Sheet

Printed : 30/07/2026

LYSMAL

Revised : CLP V1-R-1-CLP from 30/07/2026

Custom tariff :

2912 29 00 90

15.2. Chemical safety assessment

NO CONCERNED

16. OTHER INFORMATION

Full H sentences text in point 3

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child <state specific effect if known > <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H361 Suspected of damaging fertility or the unborn child <state specific effect if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H412 Harmful to aquatic life with long lasting effects.

Material security data sheet according to 2020/878/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.