



# Safety Data Sheet

Printed : 22/04/2025

Revised : CLP V1-R-2-CLP from 22/04/2025

## TRANS 2 HEXENOL

### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

#### 1.1. Product identifier

TRANS 2 HEXENOL

N° CAS : 928-95-0  
N° CE : 218-972-1  
N° index REACH An VI : /  
N° REACH (partially) : Exempt <1T

IUPAC Name : **Trans-Hex-2-en-1-ol**

Chemical / REACH name : **Trans-Hex-2-en-1-ol**

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture** : Industrial use only

**End use** : **Fragrances / Cosmetic**

#### 1.3. Details of the supplier of the safety data sheet

Company : PCW  
PARFUM COSMETIC WORLD  
45 Boulevard Marcel PAGNOL  
Parc Aromagrasse  
06130 GRASSE - FRANCE  
Tel: +33 (0)4 92 42 35 00  
Fax : +33 (0)4 92 42 35 19  
Web : www.pcwfrance.com  
Email : info@pcwfrance.com

**Technical manager** : regulatory@pcwfrance.com

#### 1.4. Emergency telephone number

**Emergency information service of the company**

+33(6) 07 85 74 60 (24h/24h)

**National emergency information service**

INERIS : +33(8) 20 20 18 16

**Anti poison Centers in France**

ORFILA : +33(1) 45 42 59 59

# Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### GHS Classification :

(RegulationCLP)

Eye Dam. 1	Serious eye damage / eye irritation 1
Flam. Liq. 3	Flammable Liquids 3
Skin Corr. 1B	Skin corrosion / irritation 1B
Skin Sens. 1	Sensitisation skin 1

H226 - Flammable liquid and vapour.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

### 2.2. Label elements

#### GHS Classification :

(RegulationCLP)



Warning mention : Danger

Eye Dam. 1	Serious eye damage / eye irritation 1
Flam. Liq. 3	Flammable Liquids 3
Skin Corr. 1B	Skin corrosion / irritation 1B
Skin Sens. 1	Sensitisation skin 1

H226 - Flammable liquid and vapour.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240+P241 - Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 - Use non-sparking tools.

P243 - Take action to prevent static discharges.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P301/303+P310 - If swallowed : Rinse mouth. Do not induce vomiting. Immediately call a poison center or doctor/physician.

### 2.3. Other hazards

# Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

## Contains trans-2-Hexenol, trans-2-Hexenal (car. 2)

**PBT :** **No data**  
**vPvB :** **No data**  
**VOC Swiss - Annex 1 :** **Not listed**  
**LVP-VOC / INORGANIC / EXEMPTED /**  
**VOC (CARB) :**

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

List of reportable components:

### 3.1. Substances

Numéro d'identification	Substance	Classes danger & Phrases H	LCS / Facteurs M / ATE	Percent %
CAS# 2305-21-7 EINECS# 213-191-2 REACH# /	trans-2-Hexenol	Eye Dam. 1, Flam. Liq. 3, Skin Corr. 1B, Skin Sens. 1B H318, H226, H314, H317		> 50 %
CAS# 6728-26-3 EINECS# 229-778-1 REACH# /	trans-2-Hexenal (car. 2)	Acute Tox. 3 (Dermal, Acute Tox. 4 (Oral), Eye Irrit. 2, Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1B H311, H302, H319, H226, H315, H317	ATE (Dermale) : 600mg/kg ATE (Orale) : 850mg/kg	[ 0-1 ]

The substance/mixture does not contain components considered to have endocrine disrupting properties according to Article 57(f) of REACH or Commission Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0,1 % or more.

### 3.2. Mixtures

Not concerned

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

**General notes:** Please refer to the risk and safety statements (section 2)

**Following inhalation:** If inhaled : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Remove collar, belt, tie... Give artificial respiration if not breathing.

**Following ingestion:** If swallowed: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

**Following skin contact:** If on skin (or hair) or clothing rinse immediately contaminated clothing and skin with plenty of water before removing clothes. If the symptom persists, consult a doctor.

**Following eye contact:** Rinse cautiously with water for several minutes (15 minutes open eyelids). Remove contact lenses, if present and easy to do. Continue rinsing. In case of disorder, consult an ophthalmologist.

## Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

**Self-protection of the first aider:** In lack of appropriate formation, none initiative should imply an individual risk.

### 4.2. Most important symptoms and effects, both acute and delayed

See section 2

### 4.3. Indication of any immediate medical attention and special treatment needed

**Contact with skin:** Wash immediately and abundantly with water and soap. Rinse then with clear water.

**Contact with eyes:** Abundant rinsing with water (15 minutes open eyelids) then washing with an ocular lotion standard Dacryoserum. In case of disorder, consult an ophtalmologist.

**In case of ingestion:** Do not induce vomiting, maintain the patient at rest. If problems persist, consult a doctor.

**Soiled clothing:** Withdraw soiled clothing and re-use them only after decontamination.

## 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

**Suitable extinguishing media:** Use an extinguishing agent suitable for the surrounding fire. CO<sub>2</sub>, powder, foam, specific liquid. Do not inhale the fumes.

**Unsuitable extinguishing media:** Never use a direct stream of water.

### 5.2. Special hazards arising from the substance or mixture

**Flammability:** The product is not easily flammable

**Prevention:** Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

#### **Hazardous combustion products:**

Release of poison gases: Monoxide de carbone (CO), Dioxyde de carbon (CO<sub>2</sub>), Oxyde d'azotes (NO<sub>x</sub>), Dioxyde de soufre (SO<sub>2</sub>), Cyanures (CN) ....

Auto-ignition temperature (°C) : -

### 5.3. Advice for firefighters

**Never use a direct water jet.**

#### **Special protective equipment for fire-fighters:**

Firefighters should wear appropriate protective equipment and self-contained breathing apparatus with full face mask operating in active pressure mode.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Call immediately the emergency personnel.

Promote adequate ventilation in the area.

## Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

### For non-emergency personnel

Keep them away from the area. Avoid all sources of ignition (spark of flame).  
Avoid skin/eye contact. Do not inhale vapours.

### For emergency responders

Use personal protective equipment. In case of accidental spills, wear protective gloves during the handling.

### 6.2. Environmental precautions

Avoid the dispersion and flow of the product. Keep away from drains, surface and ground water.  
Inform the competent authorities if the product enters in ground or surface waters.

### 6.3. Methods and material for containment and cleaning up

#### For containment

The spillage is contained with sand or inert powder. The chemical waste is placed in sealed containers.

#### For cleaning up

The soiled elements (rags, absorbent papers, filters) are immediately soaked into water. The chemical waste are rapidly treated according to the local regulation.

#### Other informations

Only qualified personnel is allowed to clean up.

### 6.4. Reference to other sections

See section 8 for personal protective equipment and section 13 for waste treatment.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

#### Protective measures:

See section 2.2



#### Measures to prevent fire:

Do not smoke. Do not expose to excessive heat or ignition sources (spark or flame).

#### Measures to prevent aerosol and dust generation:

Maintain adequate ventilation in the area.

#### Measures to protect the environment:

Avoid spreading product and keep it from spilling. Precautions on coming in contact with the ground, waterways, drains and vents.

#### Advice on general occupational hygiene:

Follow the general hygiene rules.

## Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in its original packaging in a cool dry place, away from light.

**Technical measures:** Close the container after use.  
In case of transferring, reproduce the labelling.

**Packaging materials:** Preserve only in the container of origin.

Respect the general rules of incompatibility.

Storage :	<b>Store at 25°C max. in tightly sealed original container. Avoid prolonged exposure to light, heat and air.</b>
Storage areas and packaging conditions :	<b>Close carefully any already opened recipient and store it vertically to avoid any flow</b>
Protection against the fire and the explosion :	<b>Keep away from heat/sparks/open flames/hot surfaces. - No smoking.</b>

### 7.3. Specific end use(s)

Wash hands and any other zone exposed with soap and water before eating, drinking, to smoke and before leaving work.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

**Measures of technical order:** Avoid contact with eyes, skin and clothes. Do not ingest. Do not inhale vapors. Use proper personal protective equipment.

**Monitoring procedures:** If the product contains ingredients with exposure limits, it may be necessary to carry out a follow-up examination of people, the workplace atmosphere or living organisms to determine the effectiveness of ventilation or other control measures or to assess the need for respiratory protective equipment. It is important to refer to the European standard EN 689 on methods for assessing inhalation exposure to chemical agents and to national policy documents on methods for determining hazardous substances.

PNEC Fresh water :	<b>No data</b>
PNEC Fresh water sediment :	<b>No data</b>
PNEC Marine water :	<b>No data</b>
PNEC Marine sediment :	<b>No data</b>
PNEC Soil :	<b>No data</b>
VLEP short term mg/m <sup>3</sup> (98/24/CE) :	<b>No data</b>
VLEP (8h) mg/m <sup>3</sup> (98/24/CE) :	<b>No data</b>
DNEL - Inhalation :	<b>No data</b>
DNEL - Skin contact :	<b>No data</b>

### 8.2. Exposure controls

**Appropriate technical controls :**

## Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure.

### Personal protection measures :

#### **Personal protection equipment :**

- Hand protection: Protection not required.- Eye protection: Protection not required.- Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment.

**Respiratory protection :** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates that is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Filter apparatus (dust masks or half masks)

#### Type of filters

Type AX (Brown) : Organic compounds boiling point < 65°C

Type A (Brown) : Organic compounds boiling point > 65°C

Type B (Grey) : Inorganic gasses and fumes.

Type P (White) : Particles, dusts and aerosols

**Hand protection :** Impermeable and chemical resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary >8 hours before piercing : vinyle disposable.

**Remark :** The waterproofness of the recommended gloves does not only depend on their material. Also other factors can have an influence on the waterproofness, such as their thickness or specific use or temperature conditions. In any case, material certificates should be selected. Ask your supplier whether the gloves are suitable for this purpose.

**Eyes protection :** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Recommended : Splash goggles, safety glasses with side-shields.

**Skin protection :** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Body : Recommended : lab coat (sarrau), general.

Type 3 : Liquid impermeability

Type 4 : Aerosol impermeability

Type 6 : Impermeability limited to liquid splashes

Foot : Recommended : neoprene

Upper and sole resistant and impermeable (Hydrocarbure resistant).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance :	<b>Liquid</b>
Colour :	<b>Colourless to pale yellow</b>
Odour :	<b>Fresh, green, fruity</b>
Relative density @ 25°C :	<b>[0.838 ; 0.847]</b>
Refractive index @ 20°C :	<b>[1.435 ; 1.441]</b>
Melting point (°C) :	<b>-40</b>
Boiling point (°C) :	<b>155</b>
Flash point (°C) (close cup) :	<b>66</b>
Ignition temperature :	<b>-</b>

## Safety Data Sheet

Printed : 22/04/2025      TRANS 2 HEXENOL      Revised : CLP V1-R-2-CLP from 22/04/2025

Explosive properties : -  
Purity (%) : **[96.0 ; 100.0]**  
Vapor pressure : **0.750 mmHg @25°C**  
Partition coefficient n-octanol/water : **LogPow : 1.600**

### 9.2. Other information

Water solubility : **No**  
Solubility in alcohol (°) : **Yes**

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

Avoid powerful oxidising agents

### 10.2. Chemical stability

Stable under normal conditions.

Shelf life : **24 months, according to storage conditions**

### 10.3. Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

### 10.4. Conditions to avoid

Avoid any potential source of heat.

### 10.5. Incompatible materials

**Incompatibility with other materials: -**

Incompatibility with other substances -  
:

### 10.6. Hazardous decomposition products

**Thermal decomposition / conditions to be avoided:** Avoid contact with any flame or spark, flame, Overheat. Avoid Direct rays of the sun. No decomposition if used according to specifications.

**Dangerous decomposition products:** No dangerous decomposition products known.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Toxicological Informations Acute :**

## Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

· **Orale**

**DL50: 3500 (Defined)**

· **Inhalation**

**No defined**

· **Skin**

**DL50: 4500 (Defined)**

**further information:**

trans-2-Hexenol

ETAO : 3 500,00 mg/kg(Déterminée) ETAC : 4 500,00 mg/kg(Déterminée) ETAI : Non déterminée

trans-2-Hexenal (car. 2)

ETAO : 850,00 mg/kg(Déterminée) ETAC : 600,00 mg/kg(Déterminée) ETAI : Non déterminée

Phototoxicity :	<b>No data</b>
Genotoxicity in vivo :	<b>No data</b>
Genotoxicity in vitro :	<b>No data</b>
LD50 oral (rat) :	<b>3500 mg/kg</b>
LD50 Dermal (rabbit) :	<b>4500 mg/kg</b>
Respiratory or Skin sensitization :	<b>No data</b>
Skin irritation :	<b>Irritant</b>
Serious eye damage/irritation :	<b>Causes serious eye damage.</b>
Eyes irritation :	<b>No data</b>

### 11.2. Information on other hazards

The product does not contain substances identified as having endocrine disrupting properties (human health) in concentrations equal to or greater than 0.1% (m/m).

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

Do not leave the product, even diluted or in great quantity, penetrate the ground water, water or the drains.

CE50 (Aquatic fauna) :	<b>No data</b>
CE50 (Aquatic flora) :	<b>No data</b>
No observable adverse effect level (NOAEL) :	<b>No data</b>
No observed effect level (NOEL) :	<b>No data</b>

## Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

### 12.2. Persistence and degradability

Biodegradability : **No data**

### 12.3. Bioaccumulative potential

Bioaccumulation (LogPow) : **1.600**

### 12.4. Mobility in soil

**PNEC soil** : No data

### 12.5. Results of PBT and vPvB assessment

**vPvB** : No data

**PBT** : No data

### 12.6. Endocrine disrupting properties

The product does not contain substances identified as having endocrine disrupting properties (environment) in concentrations equal to or greater than 0.1% (m/m).

### 12.7. Other adverse effects

Not concerned

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Product:** Recommendation: Does not have to be evacuated with the refuse. Do not let penetrate into drains/waste water system.

**Not cleaned packing:** Recommendation: Evacuation in accordance with the regulations.

## 14. TRANSPORT INFORMATION

ADR/ADN/RID:



IMDG:



IATA:

## Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025



### 14.1. UN number or ID number

ADR/ADN/RID : 2920 ( Tunnel code (D/E) )  
IMDG:2920  
IATA :2920

### 14.2. UN proper shipping name

ADR/ADN/RID : CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
IMDG:CORROSIVE LIQUID, FLAMMABLE, N.O.S.  
IATA :CORROSIVE LIQUID, FLAMMABLE, N.O.S.

### 14.3. Transport hazard class(es)

ADR/ADN/RID : 8 (3)  
IMDG:8 (3)  
IATA :8 (3)

### 14.4. Packing group

ADR/ADN/RID : II  
IMDG:II  
IATA :II

### 14.5. Environmental hazards

IMDG : Not concerned

### 14.6. Special precautions for user

Precautions of use : **Avoid any direct contact with the product.**

### 14.7. Maritime transport in bulk according to IMO instruments

(Except particular case)

IBC Liquid substances  
Metal (31A, 31B, 31N)  
Plastic (31H1, 31H2)

GRV Solid substances  
Metal (11A, 11B, 21A, 21N)  
Plastic (11H1, 11H2, 21H1, 21H2)

## 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

WGK : **2 - ID 6312**



## Safety Data Sheet

Printed : 22/04/2025

TRANS 2 HEXENOL

Revised : CLP V1-R-2-CLP from 22/04/2025

Custom tariff :

**2905 29 90 90**

### 15.2. Chemical safety assessment

Exposure assessment :

-

## 16. OTHER INFORMATION

### Full H sentences text in point 3

- H226** Flammable liquid and vapour.
- H302** Harmful if swallowed.
- H311** Toxic in contact with skin.
- H314** Causes severe skin burns and eye damage.
- H315** Causes skin irritation.
- H317** May cause an allergic skin reaction.
- H318** Causes serious eye damage.
- H319** Causes serious eye irritation.

Material security data sheet according to 2020/878/CEE.

These indications are founded on the current state of our knowledge, but do not constitute a guarantee as for the properties of the product and do not give place to a contractual legal report.

Modified points : 1.3 3.1 14.4